

Department of Education

REGION IV-A CALABARZON
SCHOOLS DIVISION OF BATANGAS

BIDS AND AWARDS COMMITTEE

REQUEST FOR QUOTATION

Date: 12 August 2024 PR No: 2024-07-0077

Name of Company	:
Address	:
TIN	:
PhilGEPS Registration No.	:

The DepEd Division of Batangas, through its Bids and Awards Committee (BAC), intends to procure goods/services through Negotiated Procurement – under Section 53.9 of the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184 for the project: **PR No. PR No. : 2024-07-0077- Supply and Delivery of TVL Tools and Equipment to Public Senior High Schools.** with an Approved Budget for the Contract (ABC) of Eight Hundred Fifty-Eight Thousand Thirty-Two Pesos only (**Php 858,032.00**).

Delivery Period: Thirty (30) calendar days

Please quote your **best offer** for the item/s described herein, subject to the Terms and Conditions provided on the last page of this RFQ. Kindly submit this RFQ via e-mail at **bac.sdobatangas@deped.gov.ph** or in a sealed envelope, and/or courier duly signed by your authorized representative and submitted to the BAC Office, DepEd Division of Batangas **not later than August 16, 2024 at 10:00 AM.**

A copy of the following documentary requirements must be submitted as part of your quotation: (not applicable for government venues)

- 1. Valid and Current Mayor's Permit
- 2. PhilGEPS Registration
- 3. Valid Tax Clearance
- 4. Latest Income/Business Tax Return (for ABC of 500k and above)
- 5. Omnibus Sworn Statement (template attached hereto as Annex "B")

For validation purposes, **kindly attach a screenshot of your PhilGEPS registration account, page, or dashboard**. Lastly, please be informed that submission of a copy of **BIR 2303 (aligned with the requirements to the project being procured) and a notarized Omnibus Sworn Statement** shall be required from the winning bidder before issuance of notice of award.

For any clarification, you may contact us via email at bac.sdobatangas@deped.gov.ph

GREGORIO T. MUECO, CESO VI BAC Chairperson







Address: Provincial Sports Complex, Bolbok, 4200 Batangas City ☎(043)722-1840 / 722-1796 / 722-1437 / 722-2675 / 722-1662

0 122-1130 122-1	437 722-2073	722-1002		
	Doc. Ref. Code	SDO-OSDS-F124	Rev	00
	Effectivity	07.01.24	Page	1 of 33

INSTRUCTIONS:

- (1) Accomplish this RFQ correctly and accurately.
- (2) Do not alter the contents of this form in any way.
- (3) All technical specifications are mandatory. Failure to comply with any of the mandatory requirements will disqualify your quotation.
- (4) Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/we submit our quotation/s for the item/s as follows:

Annex "A"

Unit	Description/Technical Specifications	Quantity	Unit Cost	Statement of Compliance
Unit	ELECTRIC BLENDER 1.Type: Pitcher type Blender/juicer 2.Material: die cast metal, tempered glass and stainless steel 3. Base material: die cast metal or its equivalent 4. Jar material: acrylic jar 5. Blade material: stainless steel 6. Voltage: 220 V/240 volts, AC 50/60 Hz. 7. Power in watts: 500 to 700 watts 8.Capacity: 40 oz. (minimum) 9. Power cord: 1 meters (minimum) with moulded male plug 10. Comes with push button controls, and plastic cover 11. Comes with universal male plug adaptor 12. Comes with english manual that contains: users guide, list of parts, maintenance guide, safety guide. 13. The item must be branded and good quality. 14. 1 year warranty parts and service 15) With Service centers located in major cities in the Philippines.	3		
piece	BOSTON SHAKER WITH MIXING GLASS Set Includes: 1Pc. Shaker, 1Pc. Mixing Glass Shaker Specifications: Material: Stainless Steel .Capacity: 600 ml to 700 ml Thickness: 0.5 mm to 1 mm (minimum) Mixing glass specifications: Material: glass Glass thickness: 2 mm to 5 mm (minimum) Capacity: 450 ml to 500 ml (minimum) Mixing glass has rubber rim Shaker fits snugly with the mixing glass The item must be branded and have good quality.	6		
piece	BUCKET WINE (WITH STAND) 1. Material: Stainless Steel 2. Chrome Plated Stand 3. Dimension; Bucket Dimension: H :24 - 27 cm x D: 21- 23 cm (minimum) 4. Stand Dimension: H: 72 - 76 cm(minimum) 5. The item must be of good quality.	3		
piece	CADDY, BAR (ORGANIZER) Material: Plastic, (PS) Polysterene Dimension: Length:220-250 mm, (minimum) Width:120 -150 mm, (minimum)Height:100-130 mm, (minimum)Thickness: 2-5 mm (minimum) With 4-5 Compartments Color: Any The item must be branded and have good quality	3		



Department of Education REGION IV-A CALABARZON

SCHOOLS DIVISION OF BATANGAS

piece	COFFEE MAKER/ PERCOLATOR1.Material: Heat Resistant Glass or its equivalent2.Capacity: 6 cups (minimum) 3.Detachable tank4.With Water Level Indicator 5.Non-Stick Warming Plate 6.Removable and Washable Filter7.Non-Drip Valve8.Lighted ON/OFF Switch9.Power Supply: 220 V - 240V AC, 50 /60 Hz, 300 - 450 W minimum10.Comes with a heat resitant pitcher11.Comes with english manual that contains: users guide, list of parts, maintenance guide, safety guide.12.The item must be branded and good quality.	3	
piece	CUPS AND SAUCERS, COFFEE Material :Porcelain Capacity : 3 -4 oz.(minimum) Color : White The item must be branded and have good quality.	24	
piece	DISPENSER, DRAFT BEER (MOCK) 1.Type: Draft Beer Dispenser 2.Material: Plastic 3.Capacity: 5 Liters (minimum) 4.Voltage: 230 V AC, Power: 65 Watts 7. Water Volume Cooling System: .8 Liters (minimum) 8. Number of CO2 Cartridges: 3, 9. Removable dip Tray 10. Power Cord: 1.25 meter (minimum) with moulded male plug 11. Comes with english manual that contains :users guide, list of parts, maintenance guide, safety guide 12. The item must be branded and good quality 13.1 year warranty parts and service DELIVERY CONTENTS: Beer Dispenser with Cooler 5 Liters, (minimum) 5 connector seals	1	
piece	GLASS JIGGER, HEAVY BASED Material: Clear Crystal Glass Capacity: 44 ml minimum The item must be branded and have good quality.	18	
piece	GLASS RIMMER1.Material: Acrylic (ABS) 2.3-Tier Trays3.Accomodates Glasses up to 140 mm In Diameter 4.Dimension: Over-All Height: 200 - 220 mm (minimum)5. Hieght of each tray: 70 - 85 mm(minimum)6. Diameter of each tray: 150-170 mm (minimum) 7.Thickness:1 - 3 mm (minimum) 8.Swivel: 180°9.Color: Black.10.The item must be branded and have good quality.	4	







Address: Provincial Sports Complex, Bolbok, 4200 Batangas City **2**(043)722-1840 / 722-1796 / 722-1437 / 722-2675 / 722-1662

3//22-1040//22-1/30//22-1	43/ /22-20/3	/22-1002		
	Doc. Ref. Code	SDO-OSDS-F124	Rev	00
	Effectivity	07 01 24	Page	4 of 33



Department of Education REGION IV-A CALABARZON

SCHOOLS DIVISION OF BATANGAS

piecepiece	GLASS BEER, FOOTED 12,0z .Material: Clear Crystal Glass]	
	Capacity: 12 oz. (minimum) Thickness: 2 – 4 mm (minimum) The item must be branded and have good quality.	12	
piece	GLASS BEER, BRANDY, 12 OZ Material: Clear Crystal Glass; Capacity: 16 oz. (minimum) Thickness: 2 - 4 mm (minimum) The item must be branded and have good quality	12	
piece	GLASS BEER, BRANDY, 16 OZ Material: Clear Crystal Glass;. Capacity: 16 oz. (minimum) Thickness: 2 - 4 mm (minimum) .The item must be branded and have good quality	12	
piece	GLASS, BREEZE Material: Clear Crystal Glass Capacity: 100 ml (minimum) The item must be branded and have good quality.	12	
piece	GLASS, CHAMPAGNE FLUTE Material: Clear Crystal Glass Capacity: 250 mL. (minimum) Thickness: 2 - 4 mm (minimum) The item must be branded and have good quality	12	
piece	GLASS, CHAMPAGNE SAUCER Material: Clear Crystal Glass Capacity: 9 -10 oz. (minimum) Thickness: 2 - 4 mm (minimum) The item must be branded and have good quality.	12	
piece	GLASS, CHAMPAGNE TULIP Material: Clear Crystal Glass Capacity: 6 oz. (minimum) Thickness: 2 – 4 mm (minimum) The item must be branded and have good quality.	18	
piece	GLASS, COLLINS (10 -12 OZ) Material: Clear Crystal Glass Thickness: 2 - 4 mm (minimum) Capacity: 10 -12 oz. (minimum) The item must be branded and have good quality.	12	
piece	GLASS CORDIAL/ PONY .Material: Clear Crystal Glass; Capacity: 4 oz. (minimum) Thickness: 2 to 4 mm (minimum) The item must be branded and have good quality	12	







Address: Provincial Sports Complex, Bolbok, 4200 Batangas City **(2019)** (043) 722-1840 / 722-1796 / 722-1437 / 722-2675 / 722-1662

Doc. Ref. Code	SDO-OSDS-F124	Rev	00
Effectivity	07.01.24	Page	5 of 33



Department of Education REGION IV-A CALABARZON

piece	GLASS, FLAIR PILSNER (12 OZ) Material: Clear Crystal Glass; Capacity: 4 oz. (minimum) Thickness: 2 to 4 mm (minimum) The item must be branded and have good quality	12	
piece	GLASS, HI BALL, 8-10 OZMaterial: Clear Crystal GlassThicknes: 2 - 4 mm (minimum)Capacity: 8 oz to 10 oz (minimum)The item must be branded and have good quality.	12	
piece	GLASS HI BALL , FOOTED Material: Clear Crystal Glass Capacity: 10 oz. (minimum) Thickness: 2 - 4 mm (minimum) The item must be branded and have good quality.	12	
piece	GLASS, HURRICANE Material: Clear Crystal Glass Capacity: 14-16 oz. (minimum) Thickness: 2-4 mm (minimum) The item must be branded and have good quality.	12	
piece	GLASS, IRISH COFFEE .Material: Clear Crystal Glass .Capacity: 6 oz. (minimum) .Thickness: 2 - 4 mm (minimum) .The item must be of good quality.	12	
piece	GLASS, MARGARITA .Material: Clear Crystal Glass; Maximum diameter: 110-130 mm (minimum) .Capacity: 6 - 7 oz. (minimum) .Thickness: 2 - 4 mm (minimum) The item must be of good quality.	12	
piece	GLASS, MARTINI OR COCKTAIL .Material: Clear Crystal Glass . Capacity: 7 oz. to 8 oz. (minimum) Thickness: 2 - 4 mm (minimum) The item must be of good quality.	12	
piece	GLASS OLD FASHIONED, 6-8 OZ (ROCK GLASS) Material: Clear Crystal Glass Thickness: 2 - 4 mm (minimum) Capacity: 6 oz. to 8 oz. (minimum) .The item must be of good quality	12	
piece	GLASS, POCO GRANDE Material: Clear Cryatal Glass .Capacity: 12 oz. to 14 oz (minimum) .Thickness: 2 - 4 mm (minimum) .The item must be of good quality	12	







Doc. Ref. Code	SDO-OSDS-F124	-	
Effectivity	07.01.24	Page	6 of 33



Department of Education REGION IV-A CALABARZON

SCHOOLS DIVISION OF BATANGAS

piece	GLASS, RED WINE Material: Clear Crystal Glass Over-all Length: 210-230 mm (minimum) Capacity: 250 ml to 300 ml. (minimum) Shape: Balloon shape bowl .The item must be of good quality.	12	
piece	GLASS, ROCK FOOTED .Material: Clear Crystal Glass Capacity: 7oz. Thickness: 2 – 4 mm (minimum) The item must be branded and have good quality.	12	
piece	GLASS, SHERRY / PORT WINE Material: Clear Crystal Glass Capacity: 3 - 5 oz. (minimum) Thickness: 2 - 4 mm (minimum) .The item must be of good quality	12	
piece	GLASS, SHOT .Material: Clear Crystal Glass; .Capacity: 1 - 2 oz. (minimum) .Thickness: 2 - 4 mm (minimum) .The item must be of good quality	12	
piece	GLASS, SOUR Material: Clear Crystal Glass; Capacity: 1 - 2 oz. (minimum) Thickness: 2 - 4 mm (minimum) The item must be of good quality	12	
piece	GLASS, SPECIALTY / FANCY, ASSORTED Material: Clear Crystal Glass.Capacity:250 ml (minimum)Thickness: 2 – 4 mm (minimum)The item must be branded and have good quality	12	
piece	GLASS, SQUALL 1.Material: Clear Crystal Glass 3. Capacity: 14 -16 oz. (minimum) 4. Thickness: 2 - 4 mm (minimum) 5. The item must be of good quality.	12	
piece	GLASS, WHITE WINE Material: Crystal Clear Glass Over-all Length: 200 -220 mm (minimum) Capacity: 270 ml to 300 ml (minimum) The item must have good quality	12	
piece	GLASS, ALL - PURPOSE Material: Clear Crystal Glass Capacity:10-11 oz. (minimum) Thickness: 2 - 4 mm (minimum) The item must be branded and have good quality	12	







Address: Provincial Sports Complex, Bolbok, 4200 Batangas City **2** (04

J43)/22-1840 / /22-1/96 / /22-1	43/ / /22-26/5 /	/22-1662	
	Doc. Ref. Code	SDO-OSDS-F124	Rev
	Effectivity	07.01.24	Page

00



Department of Education REGION IV-A CALABARZON

SCHOOLS DIVISION OF BATANGAS

piece	GLASS, ZOMBIE (12-14 OZ) 1.Material: Clear Crystal Glass, 5.Capacity: 12 - 14 oz. (minimum) 6.The item must be of good quality	12	
piece	ICE BUCKET 2 LITERS WITH TONGS Set includes: A. Ice bucket: 1. Material: Double walled stainless steel bucket 5. Capacity: 2 liters (minimum) 6. Comes with lid 7. The item must be branded and have good quality. B. Ice Tongs 1.Material: Stainless Steel 2.Dimension: Over-All Length: 150 mm (minimum) Thickness: 0.5 mm TO 0.7 mm(minimum) 3.The item must be of good quality.	10	
piece	JIGGER, STAINLESS, DOUBLE EDGE Material: Stainless Steel .Capacity: 30 ml and 60 ml (minimum) The item must be branded and have good quality.	10	
piece	JUICER/ SQUEEZER, FRUIT 1. Material; Base: Cast Iron or its equivalent 2. Handle: Rubberized Grip 3. Dimension: Over-All Dimension (L x Wx H): 210 - 230 mm x 160 - 180 mm x 380 - 500 mm (minimum) 4. Wide Space For Large Fruit: 110 -130 mm (minimum); Height Range: 380 - 500 mm (minimum) 5. Handle Length: 320 - 340 mm (minimum) 6. The item must be branded and have good quality.	3	
piece	MIXER, ELECTRIC 1.Type: Portable Mixer 2.Material: Stainless Steel 3.Capacity: 18 oz. (minimum) 5. Power Supply: 220/240 volts, AC 60 Hz. 6. Power in watts: 250 to 300 watts 7. Power cord: 1 meters (minimum) with moulded male plug 8. With universal male plug adaptor and washable 9. Comes with english manual that contains: users guide,list of parts,maintenance guide, safety guide. 10. The item must be branded and good quality. 11. 1 year warranty parts and service 12) With Service centers located in major cities in the Philippines.	3	







Address: Provincial Sports Complex, Bolbok, 4200 Batangas City **2**(04

J43)/22-1840 / /22-1/96 / /22-143/ / /22-26/5 / /22-1662				
	Doc. Ref. Code	SDO-OSDS-F124	Rev	00
	Effectivity	07.01.24	Page	8 of 33



Department of Education REGION IV-A CALABARZON

SCHOOLS DIVISION OF BATANGAS

piece	STEAMING PITCHERMaterial: Stainless Steel.Capacity: 350 ml., 600 ml., 900 ml (minimum).The item must be of good quality	4	
piece	THREE IN ONE STAINLESS COCKTAIL SHAKER Dimension: 48 X 28.5 X 15.2 mm (approximate) Comes with english manual that contains: users guide,list of parts maintenance guide,safety guide The item must be branded and good quality. 1 year warranty parts and service	6	
piece	TRAY, COCKTAIL BAR 1. Rectangular Bar Tray 2. Material: Plastic Rubberized Surface, (ABS) Acrylonitrile Butadine Styrene 3. Length: 450 - 500 mm (minimum), Width: 350 - 400 mm (minimum) 4.Thickness 1.5 - 4 mm (minimum) 5. Color: Black 6. The item must be branded and have good quality.	6	
Unit	WASH SINK WITH 3 COMPARTMENTS 1) Material: Stainless steel, .7 to 1.5 mm thick (minimum) 2) Free standing triple washing sink (minimum) 3) Dimensions: 1930 mm x 670 mm x 800 mm (minimum) 4) Bowl Size: 400 - 500 mm x 400 - 500 mm x 250 - 300 mm (minimum) 5) Thickness: .7 to 1.5 mm (minimum) 6) With backsplash 7) With 4 legs , without faucet 8) Four side reinforce bar which give the table strong enough to support heavy things 9) The item must be branded.	1	
piece	WATER GOBLET 1. Material: Clear Crystal Glass 2. Over-all Length: 180 - 200 mm (minimum) 3. Thickness: 2 to 4 mm. (minimum) 4. Capacity: 18-20 oz. 5. Shape: U shape bowl 6. The item must be of good quality.	12	
piece	WATER PITCHER 1.Material: Stainless Steel 2.Dimension: 3.Thickness: 0.5 to 1 mm (minimum) 4. Capacity: 1 Liter (minimum) With Handle And Spout. 5.The item must be of good quality.	7	







Address: Provincial Sports Complex, Bolbok, 4200 Batangas City ☎ (043)722-1840 / 722-1796 / 722-1437 / 722-2675 / 722-1662

22-1040 / /22-1/90 / /22-1	43/ / /22-20/3 /	/22-1002		
	Doc. Ref. Code	SDO-OSDS-F124	Rev	00
	Effectivity	07 01 24	Page	9 of 33



Department of Education REGION IV-A CALABARZON

SCHOOLS DIVISION OF BATANGAS

piece	WINE STOPPER / RESEALER 1.Material: Zinc alloy with silicon 2.Dimension: Over-all Height: 85 - 95 mm (minimum) 3. Diameter of silicon: 16 - 25 mm (minimum) 4. Diameter of Zinc Alloy: 16 - 25 mm (minimum) 5. Length of silicon: 16 - 25 mm (minimum) 6. The item must be of good quality	7	
piece	BAR SPOON WITH RELISH FORK AT THE END 1. Material: Stainless Steel; 2. Over-All Length: 270 to 300 mm (minimum) 3. Twited Bar: 6 to 12 mm (minimum) 4. Thickness: 1.2 mm - 3 mm (minimum) 5. The item must be branded and have good quality.	7	

Unit	Description/Technical Specifications	Unit Cost	Quantity	Statement of Compliance
Unit	SINGLE BED Bed, Single Size (W36 x L75 inch) rectangular 1) Frame: Knock-down type, all steel, powder coated including Head board, Bare weight: 13 kg (minimum) No wobble and noise 2) Comes with fabric covered foam 6 inches thick Foam Density: 29 -33 kg/cu.m. 3) No sharp edges	1		
piece	BOARD, IRONING TYPE: FOLDABLE TYPE IRONING BOARD BODY SHAPE: STANDARD MATERIAL: 25 mm tubing approx., 0.8 mm thickness (minimum)BOARD SIZE: 32 INCHES (minimum) BODY SIZE: 120 cm x 30 cm x 5 cm (minimum) COLOR: ANY COMES WITH BOX NO SHARP EDGES	1		







Address: Provincial Sports Complex, Bolbok, 4200 Batangas City **(3)** (043)722-1840 / 722-1796 / 722-1437 / 722-2675 / 722-1662

Doc. Ref. Code	SDO-OSDS-F124	Rev	00	
Effectivity	07.01.24	Page	10 of	



Department of Education REGION IV-A CALABARZON

Unit	COFFEE MAKER Coffee Maker, electric Material: metal, plastic, glass Capacity: 6 cups (minimum) Detachable Tank, with Water Level Indicator Non-Stick Warming Plate: Removable and Washable Filter Non-Drip Valve: Lighted ON/OFF Switch Power Supply: 220 V -240 V AC 50/60 Hz, 500W minimum Comes with a heat resistant glass pitcher With a 1 meter (minimum) power cord, molded male plug to adapt Type A outlet (or providing 5A minimum plug adapter is an option) Smooth surface, no sharp edges Comes with English manual that contains: users guide, list of parts, maintenance guide, safety guide. 1 year warranty parts and service With Service centers located in major cities in the Philippines.	1	
Unit	FIRE EXTINGUISHER WITH CONTENTS 1. For Type A, B, C Fire: Dry Chemicals (Monoammonium Phosphate) 2. Portable type 3. Capacity: 5 - 6 kgs 4.Rechargeable Cylinder Metal 5. Working pressure of Cylinder: 400 psi 6. Brass Valve with Pressure Gage 7. With Rubberized Hose and Aluminum Nozzle Attached 8. With Squeeze lever to discharge and safety pin 10.Painted with Metal Primer and Red Enamel Paint 11.Includes with User's Guide in English that contains: a. Operating procedure on how to use the equipment b. Safety precaution when using the equipment 12.1 year warranty parts and service 13.The item must be branded and have good quality	3	









Department of Education REGION IV-A CALABARZON

piece	FLAT IRON Clothes Flat iron, electric Material: Metal /plasic body, Heat-Resistant Plastic Handle, Aluminum sole Overall Dimension: (L x W x H) 25 cm x 12 cm x 12 cm (minimum) Power rating: 220/240 VAC, 50/60 Hz; 1000 Watts (minimum) Equipped with Light Indicator, variable temperature control, Overheat Protection, Power Cord and plug to adapt Type A outlet (or providing 10A plug adapter is an option) Smooth surface, no sharp edges, Comes with English Manual that Contains: Users Guide, List of Parts, Maintenance Guide, Safety Guide. The item must be branded, with DTI-BPS certification 1 year Warranty Parts and Service With Service Centers Located in major Cities in the Philippines.	1	
Unit	FLOOR POLISHER, ELECTRICAL, WITH ACCESORIES Electric floor polisher with accessories Material: Stainless steel, Aluminum Alloy Handle: Stainless tube, adjustable height 1 meter long (approximate), With Dual Switch Lever Size/Capacity:13 inch (minimum) diameter Power Supply: 220/240 VAC, 50/60 Hz. Power: 1/3 Hp (minimum) Rotation Speed: 160 rpm (minimum) Heavy duty (Royal) Power Cord Length: 12 meters (minimum) with Type A plug (or providing 10A plug adapter is an option) With pair of Rubber Wheels, Smooth surface, no sharp edges Comes with pad holder, 2 pcs - polishing brush and 3 pcs - floor polishing pads Includes User's Manual in English which contains: a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures Branded, Brand name and electric rating permanently mark on the item, With 1 year Warranty Parts and Service The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or in Japan market.	1	









Department of Education REGION IV-A CALABARZON

l ======	CAUTION CICN	 	1	ı
piece	A shape-2 panel self standing, with D-handle, collapsible for easy storage Material: High impact plastic, Panel Dimension: Rectangular (LxW) 55-65 cm x 25 x 61 0m (minimum), Panel Depth: 2 cm (minimum) Color: Yellow Print Description: "CAUTION: WET FLOOR" on one side "CLEANING IN PROGRESS on the other side, both messages provided with graphics printed in black. Font Size: 100-120 mm x 50-70 mm,(minimum) Arial Smooth surface, no sharp edges	2		
piece	SQUEGEE short handle Head/Blade Material: stainless, rubber Handle: plastic or stainless steel Blade Length: 25 - 30 cm (minimum) Overall length (handle and head) 20 - 32 cm (minimum) No sharp edges	1		
piece	MOP SQUEEZER Mop bucket with squeezer/wringer and wheels Hand lever to squeeze, made of metal, with hand grip Material: Hard Plastic, (PS) Polystyrene or its equivalent Capacity: 30 L (minimum) Overall Dimension (excluding handle: (L x W x H) 40 x 27 x 57 cm (minimum) Color: Yellow With 3 inches non-marking rubber casters "CAUTION" printed in black on both sides of the mop bucket Smooth surface, no sharp edges	1		









Department of Education REGION IV-A CALABARZON

piece	STEP LADDER Material: aluminum U channel Capacity: 250 lbs (minimum) Type: Flatform type Number of step: 6 (including top step) Reach height: 6 to 8 Feet(minimum) Width: 15 inches minimum Spread: 4 feet (minimum) Twin steps with gripped treads to prevent slipping Step braces on top and bottom step Heavy duty aluminum foot bracket with slip-resistant foot pad With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, Branded	1		
Unit	Electric vacuum cleaner, wet and dry function, sucks even screws, with 4 swivel caster wheels Material: Hard Plastic, (ABS) or rust proof body equivalent Power Supply: 220/240VAC, 50/60Hz, 1000 Watts (minimum) Auto shut off Tank Capacity: 20 Liters (minimum) Equipped with complete accessories i.e., detachable Vacuum Hose assembly (flexible non-kink), extension tubes/wands, carpet (long square) brush nozzle, wet and dry floor brush nozzle, crevice nozzle, hepa filter, sponge filter/washable cloth bag. Comes with 4 meters (minimum) heavy duty (royal) power cord, molded male plug to adapt Type A outlet (or providing 10A plug adapter is an option) Smooth surface, no sharp edges With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance. The item must be branded, Brand name and electric rating permanently mark on the item. 1 year warranty parts and service With Service centers located in major cities in the Philippines.	1		







Doc. Ref. Code	SDO-OSDS-F124	Rev	00
Effectivity	07.01.24	Page	14 of



Department of Education REGION IV-A CALABARZON

Unit	LAUNDRY WASHER		I	1
UIIIL				
	7.5 kg. Inverter Front Load Fully			
	Automatic Washer			
	Specification:			
	15 Wash Cycles			
	6th Sense Technology Inverter Plus			
	Technology			
	Detergent Dispenser			
	Fabcon Dispenser			
	Digital Control Panel			
	Hot Water Selection			
	Spin Speed Selection			
	Delay Wash Function			
	Up to 1200rpm			
	Stainless Steel Tub			
	Child Lock- Control Panel and Door			
	Color: White			
	10- 12 years Warranty on Drive			
	Motor			
	Input Power - 300W			
	Heater Power - 1800W			
	Dimension - Hx W xD = 85 x 60 x 58			
	cm (minimum)			
	10. Smooth surface, no sharp edges	1		
		1		
	11. With DTI-BPS certification, Brand			
	and electrical ratings clearly and			
	permanently mark on the item			
	9.Includes User's Manual in English			
	which contains:			
	a. A Diagram of the Parts with their			
	Names,			
	b. Operating Procedures on how to			
	use the Equipment,			
	c. Safety Precautions when using the			
	Equipment,			
	d. Basic Troubleshooting and			
	Maintenance Procedures			
	12. The item must be branded, DTI-			
	BPS certified, 1 year warranty parts			
	and service			
	13. With Service centers located in			
	major cities in the Philippines.			
	14. The offered brand of the item			
	must be an international brand with			
	at least 5 years presence at the local			
	market and global presence in the USA, Europe or in Japan market.			









Department of Education REGION IV-A CALABARZON

piece	WHITE BOARD		
_	White board, floor standing, rolling		
	Board: White Formica Laminated, plane		
	will not deform. Board Size: Rectangular		
	1800mm W x 1000 to 1200mm H,		
	(minimum)		
	Board Edges secured with Aluminum Clip		
	Edging 17 mm (minimum) wih plastic		
	corner caps		
	Comes with Metal Tray for Marker and	1	
	Eraser		
	The stand and frame are constructed with		
	Aluminum or powder coated steel 25mm		
	square tube (minimum), sturdy, no		
	wobble		
	With 4 lockable hard plastic caster		
	wheels Overall Height from floor: 210 to		
	214cm Smooth surface, no sharp edges		
	22 rom omoun surface, no sharp eages		

Unit	Description/Technical Specifications	Unit Cost	Quantity	Statement of Compliance









Department of Education REGION IV-A CALABARZON

piece	AIR COMPRESSOR WITH AIR BRUSH CAKE DECORATOR SET TypeL Single Cylinder Piston Compressor Body Shape: Cylindrical in shape Material: Copper, Aluminum Dimension: (L X W X H) 24 cm X 13 cm X 17 cm (minimum) Power Source: 220 Volts AC, 60 Hz with power cord 1 meters long (minimum) with attachment standard male plug type A or provide an adopter plug Power Rating: 1/6 Hp motor Capacity: Air pressure adjustment range 0 to 57 Psi. Automatic On/Off Shutoff Compressor must have oil filter, water trap filter, pressure regulator with gauge, and with mounted airbrush holder and with built in cooling fans Airbrush Specifications: a) airbrush material: Stainless steel body; b) Needle Dia.: 0.3 mm. c) Cup capacity: 2 cc (cubic centimeter); d) Airbrush with a 1/3 oz. gravity fluid cup; e) Nozzle that allow to spray from hairline up to 1 1/2 inches wide; f) Operating Pressure: 15-57 Psi. g) rubber hose length: 2 meter (minimum) h.) Air flow: 20 liters/min. Package content; 1 pc Air compressor, 1 set Air brsh kit with case, 5 ft- Rubber/Vinyl Hose, 5 pcs Cleaning Brushes in different width, tools and Usre's Manual. Comes with User's manual that content: Operation guide, maintenance/ troubleshooting procedure and list of parts.	3	
piece	WORKING TABLE Made in stainless Steel, used in bakery 90 x 120 x 80 in size (minimum)	6	
Unit	COMMERCIAL OVEN Commercial electric Oven 60 L high power oven it must be branded	3	









Department of Education REGION IV-A CALABARZON SCHOOLS DIVISION OF BATANGAS

set	CHOPPING BOARD, 6 COLOR Type: Food Grade Body Shape: Rectangular Material: Plastic (Polypropylene), food grade Board Size: Length: 38 cm (minimum) Width: 30 cm (minimum) Thickness: 1.27 cm (minimum) Color-coded for use with different types of food, Blue, Red, Yellow, Green, Brown and White, Preferably packed in set Comes with no sharp edges and with hole for storage purposes	6	
piece	BEATER Type: Manual Hand Beater Body Shape: Circular Handheld mixer Materials: Stainless Steel with plastic grip Dimension: L-28 cm x Width-7 cm (minimum) Twin beater designed for mixing Preferably with packing case Smooth motion gear and durable mechanism Dishwasher safe and rust free	6	
piece	DOUBLE BOILER Material: Stainless steel Thickness: 1/16 inch (1.5 mm) (minimum) Lid material: Glass Rivetedhandle on both side Capacity: 2 liters (minimum) Must be a set which includes one (1) saucepan, one (1) boiler, and one (1) lid With Stainless steel handle and smooth surfaces with no sharp edges	6	
set	MIXING BOWL 6 PCS. / SET Type: Mixing Bowl Set Body Shape: Round Material: Stainless Steel, 0.8 mm - 1.0 mm thick Each set must consist of the following capacities 1 pc - 0.70 liter 1 pc - 1.5 liters 1 pc - 3 liters 1pc - 4 liters 1pc - 5 liters 1pc - 8 liters Light weight and easy to use, flat base, curved lip Preferably with packing case Dishwasher Safe	4	







Address: Provincial Sports Complex, Bolbok, 4200 Batangas City ☎ (043)722-1840 / 722-1796 / 722-1437 / 722-2675 / 722-1662

J43)/22-1840 / /22-1/96 / /22-1 [,]	43///22-26/5/	/22-1662		
	Doc. Ref. Code	SDO-OSDS-F124	Rev	00
	Effectivity	07 01 24	Page	18 of



Department of Education REGION IV-A CALABARZON

set	ROUND CAKE PANS (7 PCS/SET) #4, #6,#8,#10,#12, #14, #16 Type: Round Pan Body Shape: Round Material: Anodized Aluminum Thickness: 1.29 mm thick (minimum) Depth: 2 inches (50.8 mm) (minimum) Set must each contain the following diameter: 1 pc - 6 inches (152.4 mm) diameter (minimum) 1 pc - 8 inches (203.2 mm) diameter (minimum) 1 pc - 10 inches (254 mm) diameter (minimum) 1 pc - 12 inches (304.8 mm)diameter (minimum) 1 pc - 14 inches (355.6 mm) diameter (minimum) 1 pc - 16 inches (406.4 mm) diameter (minimum) Preferably packed (6 pcs per set) Rolled edge for better strength and smooth surface with no sharp edges The materials used must be non-toxic.	6		
piece	CAKE TURN TABLE Type: Turn table Body Shape: Circular Material: Cast Aluminum Plate.and Cast Iron Base Upper Plate: 30 cm diameter (minimum) and 1.4 cm thickness (minimum) Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum) Total height: 10 cm to 15 cm (minimum) Turntable with ball bearing to turn easier Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise	12		









Department of Education REGION IV-A CALABARZON

set	MEASURING CUP FOR SOLID Type: Measuring Cup Set Body Shape: Round Material: Stainless steel, 0.7 mm thick (minimum) Each set contains the following: 1 pc - 1 cup (237 mL) 1 pc - 1/2 cup (118 mL) 1 pc - 1/3 cup (79 mL) 1 pc - 1/4 cup (59 mL) Handle dimension: Length-12 cm x Width-1 cm (minimum) Measuring capacity engraved on the handle Strip Handles have provision for hanging Preferably with packing case Smooth surfaces and dishwasher safe	12	
piece	MEASURING CUP 250 ML. (FOR LIQUID) Type: Clear Glass Cup Body Shape: Round Material: Clear, non-porous tempered glass Capacity: 250 ml (with 10 ml or 50 ml increments) With permanent graduation markings Specified metric and English system of measurement With handle & spout for easy pouring Preferably with packing case Food grade and safe use to microwave, freezer and diswasher	12	
piece	MEASURING CUP 500 ML. (FOR LIQUID) Type: Clear Glass Cup Body Shape: Round Material: Clear, non-porous tempered glass Capacity: 500 ml (with 10 ml or 50 ml increments) With permanent graduation markings Specified metric and English system of measurement With handle & spout for easy pouring Preferably with packing case Food grade and safe use to microwave, freeze and dishwasher	12	









Department of Education REGION IV-A CALABARZON

piece	DOUGH CUTTER Type: Scrapper Body Shape: Straight Blade Material: Stainless Steel straight blade with stainless steel handle Preferably with packing case Food grade and dishwasher safe Design allows item to be hung for storage	12	
piece	PIE CUTTER Type: Pie Cutter Wheel knife Body Shape: Round wheel roller Material: Stailess Steel With hanging hook at the tip of the handle for hanging storage High quality food grade stainless steel, high strength, good hardness Preferably with packing case Comes with finger protection and not easily deformed, anti-corrosion Dishwasher safe	12	
piece	FLOUR SIFTER Type: Hand Cranked Body Shape: Round Shape Material: Stainless steel Capacity: 5 cups (1.18 liter) Spring action squeeze handle stainless steel Preferably with a packing case Dishwasher safe	12	
piece	GRATER Type: Four sided Box Grater Body Shape: Box in shape Material: Stainless steel blade and Plastic (Polypropylene handle) Grater Dimensions: Height- 25 cm x Width-13 cm x Depth-10 cm (minimum) Side 1: Large-hole shredder with 6 mm hole Side 2: Slicer Side 3: Small-hole shredder with 3 mm hole Side 4: Grater with strips about 1.27 cm to 2.54 cm length (minimum) Preferably with packing case Food grade & dishwashing safe	10	







/				
	Doc. Ref. Code	SDO-OSDS-F124	Rev	00
	Effectivity	07.01.24	Page	21 of



Department of Education REGION IV-A CALABARZON

ī		Ī	•	
piece	KITCHEN KNIFE Type: Cook's knife or kitchen knife Body Shape: Flat and Straight Edge: Material: Stainless steel blade Handle material: Hard Plastic (Polypropylene) with rivets Overall Length: 33 cm (minimum) Blade: Length: 20 cm x Width: 3.2 cm (minimum) Handle Length: 12 cm (minimum) Thickness of Blade: 3 mm (minimum) Pointed Tip and slight curve Preferably with packing case Dishwasher safe Must be branded.	11		
piece	PALLET KNIFE Type: Pallete knife Body Shape: Offset Blade Blade material: Stainless steel 316 (Smooth finish) with rivets Overall length: 30.5 cm - 35.6 cm (minimum) Total length: Blade Dimension: Length- 17 cm x Width-3.8 cm (minimum) Thickness of Blade: 1.7 mm thick (minimum) Preferably with packing case Dishwasher safe Must be branded.	12		
piece	SOUP LADLE Type: Soup ladle Body Shape: bowl shape Material:Stainless steel Over-all Length: 12 inches (minimum) Bowl Depth: 1.5 inches (minimum) Bowl Diameter: 3.5 inches (minimum) Capacity: 3 oz. (85 ml) minimum Handle with provision for hanging Preferably with packing case Food grade and dishwashing safe Must be branded	12		







,		SDO-OSDS-F124	Rev	00
	Effectivity	07.01.24	Page	22 of



Department of Education REGION IV-A CALABARZON

piece	LOAF PAN, BIG Type: Loaf pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1 mm - 2 mm Length: 25 cm (minimum) Width: 12 cm (minimum) Depth: 7 cm (minimum) Preferably with packing case Extended sides for an easy grip and smooth surfaces with no sharp edges Food grade and oven safe Must be branded.	20	
piece	LOAF PAN, MEDIUM Type: Loaf pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm - 2 mm Length: 22cm (minimum) Width: 11 cm (minimum) Depth: 6cm (minimum) Preferably with packing case Extended sides for an easy grip and smooth surfaces with no sharp edges Food grade & oven safe Must be branded.	20	
piece	LOAF PAN, SMALL Type: Loaf pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm - 2 mm Length: 17 cm (minimum) Width: 7 cm (minimum) Depth: 5 cm (minimum) Preferably with packing case Extended sides for an easy grip and smooth surfaces with no sharp edges Food grade and oven safe Must be branded.	20	









Department of Education REGION IV-A CALABARZON

piece	MUFFIN PAN (BIG) Type: Muffin pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm (minimum) Dimension: Length-36 cm x Width-22 cm x Height-7 cm (minimum) Cup Size: Height-8 cm x Diameter 8 cm (minimum) Number of cups in a tray: 6 cup Preferably with packing case Extended sides for an easy grip and smooth surfaces with no sharp edges Food grade Must be branded.	20	
piece	MUFFIN PAN, MEDIUM Type: Muffin pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm (minimum) Dimension: Length-40 cm x Width-27 cm x Height-2 cm (minimum) Cup Size: Heigth-5 cm x Diameter 6 cm (minimum) Number of cups in a tray: 12 cup Preferably with packing case Extended sides for an easy grip and smooth surfaces with no sharp edges Food grade Must be branded.	20	
piece	MUFFIN PAN, SMALL Type: Muffin pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm (minimum) Dimension: Length 40 cm x Width-25 cm x Height 2 cm (minimum) Cup Size: Heigth-2 cm x Diameter 3 cm (minimum) Number of cups in a tray: 24 cup Preferably with packing case Extended sides for an easy grip and smooth surfaces with no sharp edges Food grade Must be branded.	20	









Department of Education REGION IV-A CALABARZON

piece	RECTANGULAR PAN, 1X8 Type: Rectangular Pan Body Shape: Square inn shape Material: Anodized Aluminum Thickness: 1 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x Height- 1 inch (minimum) Oven safe to 500°F / 260°C Preferably with packing case Food grade	20	
piece	and dishwasher safe Must be branded. PIE PAN, 10 INCHES DIAMETER Type: Pie Pan Body Shape: Round Material: Aluminum, 0.81 mm thick (minimum) Diameter -10 inches (254 mm) minimum Depth: 1.25 inches (31.75 mm) minimum Coated with non-stick coating materials Preferably with	20	
	packing case Oven safe to 500°F / 260°C Food Grade Smooth finish surfaces without sharp edges Extended sides for an easy grip Must be branded.		
set	PIE PAN 3 PCS./SET #6, #8, #10 Type Pie Pan Body Shape: Round Material: Aluminum, 0.81 mm thick (minimum) 1) # 10 diameter: 10 inches (254 mm) minimum 2) # 8 diameter: 8 inches(203 mm) minimum) 3) #6 dianeter: 6 inches (152 mm) minimum Depth: 1.5 inches (38.1 mm) minimum Oven safe to 500°F / 260°C Coated with non-stick coating materials Preferably with packing case Food Grade Smooth finish surfaces without sharp edges Extended sides for an easy grip Must be branded.	18	









Department of Education REGION IV-A CALABARZON

ballot	PIPING BAG Type: Piping Bag Body Shape: Triangular Material: Transparent Disposable Plastic for dispensing ingredients to pastries Length: 9 inches minimum Width: 3 inches (minimum) Volume: 500 ml (approximate) Preferablywith packing case Food grade Must be branded.	50	
piece	ROLLING PIN Type: Rolling Pins Body Shape: Tubular in shape Material: Hardwood (Solid Wood in natural color) Roller Dimensions: 2.5 inches diameter x 9.5 inches length (minimum) Handle dimension: 1 inch diameter x 4 inches length (minimum) Overall length: 17.5 inches (minimum) The wood rolling pin boasts rust proof nylon bearings for smooth rolling action Smooth rotation of the revolving barrel Preferably with packing case Smooth Surface finish with no sharp edges Materials used must be food grade Must be branded	10	
piece	SAUCE PAN Type: Sauce Pan Body Shape: Round in shape Material: Stainless Steel with aluminum core Revited Stainless steel Handle Length: 15 cm (minimum) Capacity: 1 quart (minimum) Preferably with packing case With stainless steel cover, safe for the stove, oven, broiler and dishwasher safe The materials used must be non-toxic. Must be branded	6	









Department of Education REGION IV-A CALABARZON

piece	RUBBER SCRAPER Type: Rubber scraper Body Shape: Flat Material: Silicone blade (head) & Plastic Handle (Polypropylene) Color: Any color Head length: 11.5 cm (minimum) Head width: 7.0 cm (minimum) Handle length: 24 cm to 30 cm(minimum) Preferably with packing case Safe working temperature: -40°F to 446°F The materials used must be non- toxic. Must be branded	20	
piuece	SHEET PAN Type: Sheet Pan Body Type: Rectangular Material: Aluminum Thickness: 0.91 mm Thick (minimum) Dimension: Length-22 inches x Width- 16 inches x Height-1 inch (minimum) Preferably with packing case Smooth finish surfaces without sharp edges Corrosion resistant Superior heat conduction Oven safe to 500°F / 260°C (maximum) Food grade Must be branded.	10	
set	MEASURING SPOON Type: Measuring Spoon Body Shape: Bowl in shape Material: Stainless Steel, 0.7 mm thick (minimum) The set consists of the following sizes: 1 pc - 1 tbsp. (15 ml) 1 pc - 1/2 tbsp. (7.5 ml) 1 pc - 1 tsp. (5 ml) 1 pc - 1/2 tsp. (2.5 ml) 1 pc - 1/4 tsp. (1.25 ml) Handle dimension: Length-12 cm x 1 cm (minimum) Measuring capacity engraved on the handle Strip Handles have provision for hanging Preferably with packing case Smooth surfaces and dishwasher safe Must be branded.	10	









Department of Education REGION IV-A CALABARZON

set	WOODEN SPOON 6 PCS./SET Type: Wooden Spoon Body Shape: Oval Material: Hardwood Dimensions: Length - 10 inches x Width- 2 inches (minimum) Bowl dimension: Length -3 inches X Width 2 inches X Depth -3/4 inches (minimum) Total Length: 10 inches (minimum) Preferably with a packing case Smooth surface finished and no sharp	10	
	edges Handle with provision for hanging storage purposes Must be branded		
piece	STRAINER Type: Basket Body Shape: Round Material: Stainless steel frame & stainless steel wire mesh Strainer diameter: 8 inches (minimum) Thickness of frame: 1.59 mm thick (minimum) Smooth surfaces and no sharp edges The materials used must be non-toxic. Must be branded.	11	
piuece	DECORATING TIP Type: Tube Tips Body Shape: Nozzles with different shape Material: Stainless Steel Tube Height: 3.5 cm to 5 cm Tube Diameter: 2 cm to 3.5 cm Thickness: 0.5 mm (minimum) Tube Tip: Assorted Designs (create swirls, rosettes, flowers, roping, stars, leaves and other designs Comes with 24 different shapes of nozzles packed in plastic storage box Smooth and deformities free Must be branded	22	







22-1040 / /22-1/90 / /22-1	43///22-20/3/	/22-1002		
	Doc. Ref. Code	SDO-OSDS-F124	Rev	00
	Effectivity	07 01 24	Page	28 of



Department of Education REGION IV-A CALABARZON

piece	WEIGHING SCALE Type: Top loading Dial Weighing Scale Body Shape: Flat Pan Material: Aluminum pan and metal body (enamel painted) Dimension: (L X W X H) 26 cm x 21 cm x 26 cm (minimum) Flat Form L-22 cm x W-22 cm (minimum) Capacity: 10 kg / 22 lb. Sensitivity/Graduated by 10 gm		
	Measurement units: Gram/Kilogram Manual Setting on Zero, must be accurate and durable Mechanism type: Spring Lever Preferably with packing case No sharp edges and rough surfaces Comes with English User's manual that contain of Operation guide, maintenance and troubleshooting procedure. With Service centers located in the major cities in the Philippines Warranty period of 1 year (parts and service) Must be branded	5	
piece	WIRE WISK Type Wire Whisk, medium Body Shape: Ballon Material: Stainless steel wire whisk medium Dimensions (L x W): 25.4 cm x 7 cm (minimum) Handle length: 10 cm (minimum) with hanging loop No. of wires: 6 wires Wire Diameter: 1.8 mm (minimum) Preferably with a packing case Dishwasher safe Must be branded.	5	







FINANCIAL OFFER

Please quote your **best offer**. Please do not leave any blank items. Indicate "0" if the item being offered is for free.

Supply and Delivery of TVL Tools and Equipment to Public Senior High Schools.

PR No.: 2024-07-0077

Approved Budgetfor the Contract in the amount of

Eight Hundred Fifty-Eight Thousand Thirty-Two Pesos only (Php 858,032.00).

Your Total Offered Quotation in Words	In figures

Terms of Payment:

- Payment shall be made through Land Bank's LDDAP-ADA/Bank Transfer facility.
- Bank Transfer fee shall be charged against the creditor's account.

Payment Details:

- Banking Institution:
- Account Number:
- Account Name:
- Branch:

TERMS AND CONDITIONS:

- 1. Suppliers/Service providers shall provide correct and accurate information required in this form.
- 2. Price quotation/s must be valid for *thirty (30) calendar days* from the date of submission.
- 3. Price quotation/s, to be denominated in Philippine peso shall include all taxes, duties, and/or levies payable.
- 4. Quotations exceeding the Approved Budget for the Contract shall be rejected.
- 5. Award of contract shall be made to the lowest calculated and responsive quotation that complies with the minimum technical specifications and other terms and conditions stated herein.
- 6. Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 7. The item/s shall be delivered according to the requirements specified in the Technical Specifications.



Department of Education

REGION IV-A CALABARZON
SCHOOLS DIVISION OF BATANGAS

- 8. The DepEd SDO Batangas shall have the right to conduct onsite visits to verify their conformity to the technical specifications.
- 9. Liquidated damages equivalent to one-tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The DepEd SDO Batangas shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- 10. The DepEd Batangas reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time before contract award, without incurring any liability to the affected bidder or bidders.

Signature over Printed Name:	
Position/Designation:	
Office Telephone/Mobile No.:	
Email address:	







Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)	
CITY/MUNICIPALITY OF) S.S.	
CIT 1/MUNICIPALITY OF	

AFFIDAVIT

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which include:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN	WITNESS	WHEREOF, I	have	hereunto	set	my	hand	this	day	of	,	20_	at
		, Philippines.											

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]